

0-0-0

SEEDSTART ZINC is a micronized nutrient formulation for use with seed treatments.

GUARANTEED ANALYSIS

DERIVED FROM: Zinc Oxide



HAZARD STATEMENTS

- · Harmful if swallowed
- Very toxic to aquatic life
- Very toxic to aquatic life with long lasting effects

PREVENTION

- · Obtain special instruction before use
- Use personal protective equipment as required
- · Wash hands thoroughly after handling.
- Do not eat, drink, or smoke when using this product
- · Avoid release to the environment.

EMERGENCY TELEPHONE:

Chemtrec US-Canada 800-424-9300

RESPONSE

- IF exposed or concerned: get medical advice/attention
- IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Do NOT induce vomiting. Rinse mouth.
- IF IN EYES: Rinse continuously with water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get immediate medical attention.
- IF ON SKIN: Immediately wash skin with plenty of soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.
- IF INHALED: Remove patient to fresh air. If not breathing, provide CPR. Get immediate medical attention.

DISPOSAL

 Dispose of contents/container in accordance with the waste disposal requirements of your country, state, or local authorities.

NET CONTENTS: Density: (68°F) 14.44lbs/gal (6.55 Kg)

□ 2.5 gallons (9.46 ℓ) Net Wt. □ 36.10 lbs (16.37 Kg) □ 30 gallons (113.56 ℓ) Net Wt. 433.20 lbs (196.50 Kg) 120 gallons (454.25 ℓ) Net Wt. 1732.80 lbs (786.00 Kg)

SeedStart Zinc is powered by TECHNOLOGY



0-0-0

DIRECTIONS FOR USE

Use only as directed.

TMC SeedStart Zinc is a micronized formulation of Zinc Oxide intended for use as a seed applied nutrient. It is compatible with most commercially available seed treatments and is intended for use on cereals, legumes and corn. Not for use with other oxidizing materials or any phosphate containing fertilizers. Do not apply to damaged seed or seed with low germination test scores. Before using this product, consult your local McGregor Seed Care Representative for additional use instructions and mixing order.

RATE APPLICATION

Seed Treatment: Wheat and Barley: 4-8 oz./cwt.

Dry beans, peas, lentils, garbanzos, and large seeded vegetables: 4-8 oz./cwt.

Corn: 4-8 oz./cwt.

Other crops: consult your McGregor representative.

SEED TREATMENT APPLICATION RECOMMENDATIONS

Dilution: Slurry rates may need to be adjusted to maintain 40% water ratios and additives such as Treat Safe are

recommended to limit dust off.

Regular cleaning of atomizers, treating cups and spray nozzles is recommended.

TREATMENT METHOD:

Slurry Application: TMC SeedStart Zinc can be used with standard seed treatment application equipment. Ensure uniform

application.

Injection System: Water should be added to TMC SeedStart Zinc before injecting. Compatibility and stability testing is

recommended before applications are made.

CONDITIONS OF SALE

The information contained hereon is believed to be accurate and reliable. Buyer/User acknowledges and assumes all liability from use of this material. Follow directions and recommendations carefully. Rates and methods of application, timing, weather, soil, water, turf, plant, crop condition, prior control material usage and "acts of God" are beyond the control of the Sellers and Manufacturers.

STORAGE CAUTIONS

Avoid direct or excessive sun, heat, fire or frigid exposure. Decomposition may occur at temperatures above 225°F (107°C). May be corrosive to some dispersal materials over time. Exercise care when storing or dispensing product.

HANDLING CAUTIONS

Exercise care when applying product. May be harmful if swallowed or inhaled. Keep out of children's reach. Avoid eye contact and prolonged, repeated contact with skin. May cause eye, membrane and skin irritation. Wash all contact areas thoroughly after handling.

THE MCGREGOR COMPANY

401 Airport RD | PO Box 740 | Colfax, WA 99111 | 800-873-8666

www.mcgregor.com